HEARING RESEARCH

Vol. 110, Nos. 1–2
August 1997

# CONTENTS

*Cited in: Biological Abstracts (BIOSIS); Chemical Abstracts; Current Contents/Life Sciences; Current Awareness in Biological Sciences (CABS); Excerpta Medica (EMBASE); Index Medicus; INSPEC; PASCAL M; Reference Update*

**Research Papers**

*W.F. Dolphin (USA)*
The envelope following response to multiple tone pair stimuli 1

*W.P. Shofner and W.A. Yost (USA)*
Discrimination of rippled-spectrum noise from flat-spectrum noise by chinchillas: evidence for a spectral dominance region 15

*N. Harel, A. Kakigi, H. Hirakawa, R.J. Mount and R.V. Harrison (Canada)*
The effects of anesthesia on otoacoustic emissions 25

*A. Kakigi, H. Hirakawa, R.J. Mount and R.V. Harrison (Canada)*
The effects of crossed olivocochlear bundle section on transient evoked otoacoustic emissions 34

*C.A. McCormick (USA)*
Organization and connections of octaval and lateral line centers in the medulla of a clupeid, *Dorosoma cepedianum* 39

*G. Taschenberger and G.A. Manley (Germany)*
Spontaneous otoacoustic emissions in the barn owl 61

*A.P. Nenov, R.A. Skellett, M. Fallon and R.P. Bobbin (USA)*
Nitrosoglutathione suppresses cochlear potentials and DPOAEs but not outer hair cell currents or voltage-dependent capacitance 77

*C. Chen, C. LeBlanc and R.P. Bobbin (USA)*
Differences in the distribution of responses to ATP and acetylcholine between outer hair cells of rat and guinea pig 87

*G. Krause, A.M. Meyer zum Gottesberge, G. Wolfram and R. Gerzer (Germany)*
Transcripts encoding three types of guanylyl-cyclase-coupled trans-membrane receptors in inner ear tissues of guinea pigs 95

*V. Tsuprun and P. Santi (USA)*
Ultrastructural organization of proteoglycans and fibrillar matrix of the tectorial membrane 107

*R. Charlet de Sauvage, D. Lima da Costa, J.-P. Erre and J.-M. Aran (France)*
Electrical and physiological changes during short-term and chronic electrical stimulation of the normal cochlea 119

*G. Laurell, M. Teixeira, O. Sterkers and E. Ferrary (France, Sweden)*
Paracellular transport properties of inner ear barriers do not account for cisplatin toxicity in the rat 135

*F. Kalinec, G. Kalinec, C. Negrini and B. Kachar (USA)*
Immunolocalization of anion exchanger 2α in auditory sensory hair cells 141

*N. Fischel-Ghodsian, Y. Bykhovskaya, K. Taylor, T. Kahen, R. Cantor, K. Ehrenman, R. Smith and E. Keithley (USA)*
Temporal bone analysis of patients with presbycusis reveals high frequency of mitochondrial mutations 147

*P.M. Backoff, P. Shadduck Palombi and D.M. Caspary (USA)*
Glycinergic and GABAergic inputs affect short-term suppression in the cochlear nucleus 155

*Y.M. Szymko, J.J. Zwislocki and L. Hertig (USA)*
Enhanced cochlear responses after sound exposure 164

*C. Chen (USA)*
Hyperpolarization-activated current ($I_h$) in primary auditory neurons 179

*S. Heid, T.K. Jähn-Siebert, R. Klinke, R. Hartmann and G. Langner (Germany)*
Afferent projection patterns in the auditory brainstem in normal and congenitally deaf white cats 191

*Y. Atoji, Y. Yamamoto, Y. Suzuki, F. Matsui and A. Oohira (Japan)*
Immunohistochemical localization of neurocan in the lower auditory nuclei of the dog 200

Contents continued on inside back cover

0378-5955(199708)110:1/2;1-L

(Contents continued from back cover)

*B. Hua Hu and D. Henderson (USA)*
Changes in F-actin labeling in the outer hair cell and the Deiters cell in the chinchilla cochlea following noise exposure 209

*A. Tanahashi, J. Horikawa and N. Suga (USA)*
NMDA-mediated facilitation in the echo-delay tuned areas of the auditory cortex of the mustached bat 219

*R.V. Harrison, R.J. Mount and H. Hirakawa (Canada, Japan)*
Total ablation of cochlear haircells by perilymphatic perfusion with water 229

*R. Burkard and A.R. Palmer (USA, UK)*
Responses of chopper units in the ventral cochlear nucleus of the anaesthetised guinea pig to clicks-in-noise and click trains 234

*B. Puschner and J. Schacht (USA)*
Calmodulin-dependent protein kinases mediate calcium-induced slow motility of mammalian outer hair cells 251

*Y. Shi, A. Polyakov and H. Pratt (Israel)*
Effects of interaural intensity and time disparity on transient evoked otoacoustic emissions 259

*P.G. Trautwein, L. Chen and R.J. Salvi (USA)*
Steady state EP is not responsible for hearing loss in adult chickens following acoustic trauma 266

**Calendar of Events** 271

**Author Index Volume 110** 274

**Subject Index Volume 110** 276

The table of contents of *Hearing Research* is included in ESTOC – Elsevier Science Tables of Contents service – which can be accessed on the World Wide Web at the following URL addresses:
http://www.elsevier.nl/locate/estoc or http://www.elsevier.com/locate/estoc

**A CUMULATIVE INDEX** for *Hearing Research*, Volumes 1 through to the current volume is available on the Internet: gopher://spib.rice.edu:70/11/SPIB/bibliography/hr

**SUBMISSION PROCEDURE** Please submit your manuscript plus three copies of all items including figures (a total of **four** original sets of micrographs should be submitted) and tables to:

*Professor Aage Møller*
*(Editor in Chief)*
at the Editorial Office of Hearing Research
P.O. Box 99187
Pittsburgh
PA 15233-4187
USA

*Address for courier services:*
Cleat Szczepaniak
Editorial Office of Hearing Research
985 Ringgold Street
Pittsburgh
PA 15220
USA

*Cleat Szczepaniak*
*(Editorial secretary)*
Tel./Fax +1 (412) 920-1911
E-mail cleats+@pitt.edu

For a full and complete Instructions to Authors, please refer to Hearing Research, Vol. 109, Nos. 1-2, pp. 146–148. The instructions can also be found on the World Wide Web: access under http://www.elsevier.nl or http://www.elsevier.com